

Golden Plover (Pluvialis dominica): At-Sea Distribution and Abundance  
Ruddy Turnstone (Arenaria interpres): At-Sea Distribution and Abundance

The following maps represent all At-Sea Distribution and Abundance data collected by personnel of the Pacific Ocean Biological Survey Program from February, 1963, through August, 1965.

Each square represents one days observation from the first through the fifteenth of the month, while each circle represents one days observation from the sixteenth through the thirty-first of each month.


Numbers refer to actual number of birds counted for each day

Blue refers to Golden Plovers, Green refers to Ruddy Turnstones, and Red refers to both species together.

- ☐ = 1-15 January
- = 16-31 January
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- (with diagonal lines) = 101-500 "
- (solid) = 500+ "

JANUARY

SI-MNH-38 (REV. 9-65)




○ = both species

- ☐ = 1-15 February
- = 16-31 February
- ④ = 0 birds
- (small) = 1-10 "
- (medium) = 11-25 "
- (large) = 26-50 "
- (very large) = 51-100 "
- (small) = 101-500 "
- (large) = 500+ "

FEBRUARY


SI-MNH-38 (REV. 9-65)



- ☐ = 1-15 March
- = 16-31 March
- ④ = 0 birds
- = 1-10 "
- = 11-25 "
- = 26-50 "
- = 51-100 "
- = 101-500 "
- = 500+ "

MARCH


SI-MNH-38 (REV. 9-85)



- ☐ = 1-15 April
- = 16-31 April
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 50-100 "
- = 101-500 "
- (with horizontal lines) = 500+ "

APRIL


SI-MNH-38 (REV. 9-65)



- 1-15 May
- = 16-31 May
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- = 101-500 "
- (with cross-hatch) = 500+ "

MAY


SI-MNH-38 (8-65)



- 1-15 June
- = 16-31 June
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- = 101-500 "
- (with horizontal lines) = 500+ "

JUNE


SI-MNH-38 (8-65)



- ☐ 1-15 July
- = 16-31 July
- = 0 birds
- Ⓐ = 1-10 birds
- = 11-25 "
- = 26-50 "
- = 51-100 "
- = 101-500 "
- = 500+ "

JULY

SI-MN-38 (8-65)






- ☐ 1-15 August
- = 16-31 August
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- = 101-500 "
- (large) = 500+ "

AUGUST


SI-MMM-38 (8-65)



- ☐ 1-15 September
- = 16-31 September
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- = 101-500 "
- (with horizontal lines) = 500+ "

SEPTEMBER


SI-MNH-38 (8-65)



- ☐ 1-15 October
- = 16-31 October
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- (with diagonal lines) = 101-500 "
- (solid black) = 500+ "

OCTOBER


SI-MNH-38 (8-65)



- 1-15 November
- = 16-31 November
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- = 101-500 "
- (with horizontal lines) = 500+ "

NOVEMBER


SI-MNH-38(8-55)



- 1-15 December
- = 16-31 December
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- = 101-500 "
- (with horizontal lines) = 500+ "

DECEMBER


SI-MMM-38 (8-65)



- ☐ = 1-15 January
- = 16-31 January
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- (with diagonal lines) = 101-500 "
- (solid black) = 500+ "

JANUARY

SI-MNH-38 (REV. 9-65)




○ = both species

- ☐ = 1-15 January
- = 16-31 January
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- (with diagonal lines) = 101-500 "
- (solid black) = 500+ "

JANUARY

SI-MN-38 (REV. 9-65)




○ = both species

- ☐ = 1-15 February
- = 16-31 February
- ④ = 0 birds
- = 1-10 "
- = 11-25 "
- = 26-50 "
- = 51-100 "
- = 101-500 "
- = 500+ "

FEBRUARY

SI-MNH-38 (REV. 9-65)






- ☐ = 1-15 February
- = 16-31 February
- ④ = 0 birds
- = 1-10 "
- = 11-25 "
- = 26-50 "
- = 51-100 "
- = 101-500 "
- = 500+ "

FEBRUARY


SI-MNH-38 (REV. 9-65)



- ☐ = 1-15 March
- = 16-31 March
- ④ = 0 birds
- = 1-10 "
- = 11-25 "
- = 26-50 "
- = 51-100 "
- = 101-500 "
- = 500+ "

MARCH


SI-MNH-38 (REV. 9-65)



- ☐ = 1-15 March
- = 16-31 March
- ④ = 0 birds
- = 1-10 "
- = 11-25 "
- = 26-50 "
- = 51-100 "
- = 101-500 "
- = 500+ "

MARCH


SI-MNH-38 (REV. 9-85)



- ☐ = 1-15 April
- = 16-31 April
- = 0 birds
- ④ = 1-10 "
- (with 1-25) = 11-25 "
- (with 26-50) = 26-50 "
- (with 50-100) = 50-100 "
- (with 101-500) = 101-500 "
- (with 500+) = 500+ "

APRIL


SI-MNH-38 (REV. 9-65)



- ☐ = 1-15 April
- = 16-31 April
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 50-100 "
- (with diagonal lines) = 101-500 "
- (solid) = 500+ "

APRIL


SI-MNH-38 (REV. 9-65)



- 1-15 May
- = 16-31 May
- = 0 birds
- ④ = 1-10 "
- = 11-25 "
- = 26-50 "
- = 51-100 "
- = 101-500 "
- = 500+ "

MAY


SI-MNH-38 (8-65)



- ☐ 1-15 May
- = 16-31 May
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- = 101-500 "
- (with horizontal lines) = 500+ "

MAY


SI-MNH-38 (8-65)



- 1-15 June
- = 16-31 June
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- = 101-500 "
- (with horizontal lines) = 500+ "

JUNE

SI-MNH-38 (8-65)






- 1-15 June
- = 16-31 June
- = 0 birds
- ⊙ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- (with diagonal lines) = 101-500 "
- (solid black) = 500+ "

JUNE


SI-MNH-38 (8-65)



- ☐ 1-15 July
- = 16-31 July
- = 0 birds
- ④ = 1-10 birds
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- = 101-500 "
- (large) = 500+ "

JULY


SI-MN-38 (8-65)



- ☐ 1-15 July
- = 16-31 July
- = 0 birds
- Ⓐ = 1-10 birds
- = 11-25 "
- = 26-50 "
- = 51-100 "
- = 101-500 "
- = 500+ "

JULY


SI-MNP-38 (8-65)



- 1-15 August
- = 16-31 August
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- = 101-500 "
- (large) = 500+ "

AUGUST


SI-MNH-38 (8-65)



- 1-15 August
- = 16-31 August
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- = 101-500 "
- (with horizontal lines) = 500+ "

AUGUST


SI-MMI-38 (8-65)



- 1-15 September
- = 16-31 September
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- (with diagonal lines) = 101-500 "
- (solid black) = 500+ "

SEPTEMBER


SI-MNH-38 (8-65)



- 1-15 September
- = 16-31 September
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- = 101-500 "
- (large) = 500+ "

SEPTEMBER


SI-MNH-38 (8-65)



- ☐ 1-15 October
- = 16-31 October
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- (with diagonal lines) = 101-500 "
- (solid black) = 500+ "

OCTOBER

SI-MNH-38 (8-65)






- 1-15 October
- = 16-31 October
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- = 101-500 "
- (with horizontal lines) = 500+ "

OCTOBER


SI-MNH-38 (8-65)



- 1-15 November
- = 16-31 November
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- = 101-500 "
- (with horizontal lines) = 500+ "

NOVEMBER


SI-MNH-38(8-65)



- 1-15 November
- = 16-31 November
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- = 101-500 "
- (with horizontal lines) = 500+ "

NOVEMBER


SI-MNH-38(8-55)



- 1-15 December
- = 16-31 December
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- = 101-500 "
- (with horizontal lines) = 500+ "

DECEMBER

SI-MNH-38 (8-65)



- 1-15 December
- = 16-31 December
- = 0 birds
- ④ = 1-10 "
- (with horizontal lines) = 11-25 "
- (with vertical lines) = 26-50 "
- (with diagonal lines) = 51-100 "
- (with diagonal lines) = 101-500 "
- (solid black) = 500+ "

DECEMBER

SI-MNH-38 (8-65)

